

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1047	361/234	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 08:37
L2	2048	insulation with resistivity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 08:37
L3	16	insulation with resistivity with (circle or shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 08:38
S1	0	electrostatic adj attaraction adj function	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 15:33
S2	44	electrostatic adj attraction adj function	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/05 11:26
S3	31	electrostatic adj attraction adj function	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/04 14:14
S4	166	nobuo near arai	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/04 13:37
S5	16	shoji near kano	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/04 13:34
S6	5	ryouji near iwai	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/04 13:36
S7	5	(nobuo near arai) and electrostatic	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/04 15:08
S8	0	"10465324"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/04 14:15
S9	590	(219/548).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/12/04 15:12
S10	17	"5665260".URPN.	USPAT	OR	ON	2003/12/05 10:57

S11	8886	electrostatic adj attraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/05 11:26
S12	504	electrode and (heating adj layer) and base	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/05 11:28
S13	13	(electrostatic adj attraction) and (electrode and (heating adj layer) and base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:48
S14	2301	ceramic and electrostatic and electrode and heater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/05 11:50
S15	1481	ceramic and electrostatic and electrode and heater and base	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/05 11:50
S16	0	(ceramic and electrostatic and electrode and heater and base) and (electrostatic adj attraction)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/05 11:51
S17	136	(ceramic and electrostatic and electrode and heater and base) and (electrostatic adj attraction)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/05 11:51
S18	100	(ceramic and electrostatic and electrode and heater and base) and (electrostatic adj attraction)	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/05 11:52
S19	17	"5665260".URPN.	USPAT	OR	ON	2003/12/08 14:13
S20	17	"5665260".URPN.	USPAT	OR	ON	2003/12/08 14:14
S21	1645	pyrolytic adj graphite	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 08:54
S22	21	(US-6413876-\$ or US-6392240-\$ or US-5886863-\$ or US-6242719-\$ or US-5665260-\$ or US-6538872-\$ or US-6535371-\$ or US-6490146-\$ or US-6462928-\$ or US-6410172-\$ or US-6310755-\$ or US-6294771-\$ or US-6037572-\$ or US-6094334-\$ or US-6479410-\$ or US-6391437-\$ or US-6120661-\$ or US-6120130-\$). did. or (JP-2002033375-\$ or JP-08264550-\$ or JP-10080168-\$). did.	USPAT; JPO	OR	OFF	2003/12/08 14:16

S23	4	((US-6413876-\$ or US-6392240-\$ or US-5886863-\$ or US-6242719-\$ or US-5665260-\$ or US-6538872-\$ or US-6535371-\$ or US-6490146-\$ or US-6462928-\$ or US-6410172-\$ or US-6310755-\$ or US-6294771-\$ or US-6037572-\$ or US-6094334-\$ or US-6479410-\$ or US-6391437-\$ or US-6120661-\$ or US-6120130-\$). did. or (JP-2002033375-\$ or JP-08264550-\$ or JP-10080168-\$). did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/08 14:16
S24	189	(pyrolytic adj graphite) with (boron or (boron adj carbide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 12:14
S25	4	((US-6413876-\$ or US-6392240-\$ or US-5886863-\$ or US-6242719-\$ or US-5665260-\$ or US-6538872-\$ or US-6535371-\$ or US-6490146-\$ or US-6462928-\$ or US-6410172-\$ or US-6310755-\$ or US-6294771-\$ or US-6037572-\$ or US-6094334-\$ or US-6479410-\$ or US-6391437-\$ or US-6120661-\$ or US-6120130-\$). did. or (JP-2002033375-\$ or JP-08264550-\$ or JP-10080168-\$). did.) and ((pyrolytic adj graphite) with (boron or (boron adj carbide))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/08 14:19
S26	175	(pyrolytic adj graphite) with (boron or (boron adj carbide))	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 12:15
S27	30	(pyrolytic adj graphite) with (boron adj carbide)	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 13:09
S28	235	ceramic adj heater and (boron or (boron adj carbide) near3 (by adj weight))	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 13:14
S29	50	(heat\$3 adj layer) with (boron or (boron adj carbide) near3 (by adj weight))	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 13:51
S30	0	(heat\$3 adj layer) with (boron adj carbide) near3 (by adj weight)	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 13:16
S31	0	"boron carbide of 0.001 - 30 % by weight"	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 13:52
S32	0	"boron carbide of 0.001-30% by weight"	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 13:52

S33	0	"boron of 0.001-30% by weight"	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 13:52
S34	178895	boron or (boron adj carbide) with (by adj weight)	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:10
S35	0	(boron or (boron adj carbide)) with (by adj weight)	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:10
S36	0	(boron adj carbide) with (by adj weight)	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:10
S37	0	boron with (by adj weight)	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:10
S38	0	"7010665".URPN.	USPAT	OR	ON	2003/12/09 14:14
S39	29	(US-6413876-\$ or US-6392240-\$ or US-5886863-\$ or US-6242719-\$ or US-5665260-\$ or US-6538872-\$ or US-6535371-\$ or US-6490146-\$ or US-6462928-\$ or US-6410172-\$ or US-6310755-\$ or US-6294771-\$ or US-6037572-\$ or US-6094334-\$ or US-6479410-\$ or US-6391437-\$ or US-6120661-\$ or US-6120130-\$ or US-6384383-\$ or US-6140624-\$ or US-5495550-\$ or US-6603238-\$). did. or (JP-2002033375-\$ or JP-08264550-\$ or JP-10080168-\$ or JP-09040481-\$).did. or (JP-08227933-\$ or JP-07010665-\$ or DE-3626420-\$).did.	USPAT; JPO; DERWENT	OR	OFF	2003/12/09 14:15
S40	7	((US-6413876-\$ or US-6392240-\$ or US-5886863-\$ or US-6242719-\$ or US-5665260-\$ or US-6538872-\$ or US-6535371-\$ or US-6490146-\$ or US-6462928-\$ or US-6410172-\$ or US-6310755-\$ or US-6294771-\$ or US-6037572-\$ or US-6094334-\$ or US-6479410-\$ or US-6391437-\$ or US-6120661-\$ or US-6120130-\$ or US-6384383-\$ or US-6140624-\$ or US-5495550-\$ or US-6603238-\$). did. or (JP-2002033375-\$ or JP-08264550-\$ or JP-10080168-\$ or JP-09040481-\$).did. or (JP-08227933-\$ or JP-07010665-\$ or DE-3626420-\$).did.) and boron adj carbide	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:27
S41	1	electrode with (heat\$3 adj layer) with (pyrolytic adj graphite) with (boron or (boron adj carbide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:29

S42	6	electrode same (heat\$3 adj layer) same (pyrolytic adj graphite) with (boron or (boron adj carbide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:35
S43	6	electrode same (heat\$3 adj layer) same (pyrolytic adj graphite) same (boron or (boron adj carbide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:36
S44	14	(heat\$3 adj layer) same (pyrolytic adj graphite) same (boron or (boron adj carbide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:44
S45	0	boraelectric	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 14:44
S46	0	BORAELECTRIC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 15:09
S47	0	BORAELECTRIC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 15:10
S48	9	BORAELECTRIC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/09 15:10
S49	28	("4172754" "4239819" "4950558" "5119541" "5155652" "5178911" "5280156" "5343022" "5356608" "5403401" "5456757" "5566043" "5573742" "5591269" "5606484" "5663865" "5665260" "5672420" "5683606" "5693581" "5702764" "5705080" "5822675" "5837058" "5866883" "5882730" "5909355" "6242719").PN.	USPAT	OR	ON	2003/12/09 15:25
S50	43	"5665260" "5663865" "5606484" "5566043"	USPAT	OR	ON	2003/12/09 15:25
S51	3	"5748436".URPN.	USPAT	OR	ON	2003/12/09 15:46
S52	17	"5665260".URPN.	USPAT	OR	ON	2003/12/09 15:48
S53	19	"5663865".URPN.	USPAT	OR	ON	2003/12/09 15:49
S54	31	boron near4 increase near4 resistivity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 08:46

S55	107	(pyrolytic adj graphite) near4 boron	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 08:55
S56	63	(pyrolytic adj graphite) near2 boron	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 08:55
S57	11	(pyrolytic adj graphite) near2 boron adj carbide	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 09:10
S58	0	"2001015251".URPN.	USPAT	OR	ON	2003/12/10 09:00
S59	46	kano near masaki	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 09:13
S60	317	(hirata near kazuto) or (kurosawa near yukio)	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 09:14
S61	50	(hirata near kazuto) or (kurosawa near yukio)	USPAT	OR	ON	2003/12/10 09:14
S62	13	((hirata near kazuto) or (kurosawa near yukio)) and pyrolytic	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 09:15
S63	9383	(insulating adj layer) and heater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:45
S64	2853	((insulating adj layer) and heater) and carbon	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:45
S65	16189	(insulating adj layer) with ((aluminum nitride) or (boron adj nitride) or (pyrolytic adj boron adj nitride) with carbon with silicon)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:58
S66	961	((insulating adj layer) with ((aluminum nitride) or (boron adj nitride) or (pyrolytic adj boron adj nitride) with carbon with silicon)) and heater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:47
S67	1	((insulating adj layer) with ((aluminum nitride) or (boron adj nitride) or (pyrolytic adj boron adj nitride) with carbon with silicon)) and heater) and (electrostatic adj attraction) and (electrode and (heating adj layer) and base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:56

S68	15	((insulating adj layer) with ((aluminum nitride) or (boron adj nitride) or (pyrolytic adj boron adj nitride) with carbon with silicon)) and heater) and (electrode and (heating adj layer) and base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:49
S69	373	((insulating adj layer) with ((aluminum nitride) or (boron adj nitride) or (pyrolytic adj boron adj nitride) with carbon with silicon)) and heater) and ceramic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:56
S70	623	((insulating adj layer) with ((aluminum nitride) or (boron adj nitride) or (pyrolytic adj boron adj nitride) with carbon with silicon)) and heater) and electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:57
S71	186	((insulating adj layer) with ((aluminum nitride) or (boron adj nitride) or (pyrolytic adj boron adj nitride) with carbon with silicon)) and heater) and electrode) and ceramic	USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 13:57
S72	10	((insulating adj layer) with ((aluminum nitride) or (boron adj nitride) or (pyrolytic adj boron adj nitride) with carbon with silicon)) and heater) and electrode) and ((insulating adj layer) same ((aluminum nitride) or (boron adj nitride) or (pyrolytic adj boron adj nitride)) same (carbon with silicon))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/12/10 14:00
S73	1	09/347335	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/08 09:20
S74	7	"5748436".URPN.	USPAT	OR	ON	2004/09/08 09:44
S75	2	"6140624"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/08 10:04
S76	34	"6140624", "6678143", "5606484", "5566043"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/08 10:06
S77	3	10/006657	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/08 10:06
S78	0	"6678143".URPN.	USPAT	OR	ON	2004/09/08 10:09
S79	4	("5151845" "5663865" "5748436" "5777543").PN.	USPAT	OR	ON	2004/09/08 10:09

S80	16617	kano	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/08 11:07
S81	3	"2001015251"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/08 11:07
S82	7	"5748436".URPN.	USPAT	OR	ON	2004/09/08 11:48
S83	0	(volume adj resistivity) same insulation same (shape near4 circle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 14:20
S84	655	(volume adj resistivity) same insulation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 16:44
S85	12	(volume adj resistivity) same insulation same shape	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 15:06
S86	9	"5748436"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 15:04
S87	4	"5748436" and volume	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 15:04
S88	40	(US-6603238-\$ or US-6413876-\$ or US-6392240-\$ or US-5886863-\$ or US-6384383-\$ or US-5665260-\$ or US-6242719-\$ or US-6538872-\$ or US-6535371-\$ or US-6490146-\$ or US-6462928-\$ or US-6410172-\$ or US-6310755-\$ or US-6294771-\$ or US-6037572-\$ or US-6094334-\$ or US-6479410-\$ or US-6391437-\$ or US-6120130-\$ or US-6120661-\$ or US-6140624-\$ or US-5663865-\$ or US-5748436-\$ or US-5566043-\$ or US-5606484-\$ or US-5495550-\$). did. or (US-5822675-\$ or US-6678143-\$).did. or (US-20040036408-\$).did. or (JP-2001015251-\$ or JP-09040481-\$ or JP-2000012192-\$ or JP-2002033375-\$ or JP-08264550-\$ or JP-10080168-\$). did. or (JP-08227933-\$ or JP-08264550-\$ or JP-07010665-\$ or US-6423615-\$ or DE-3626420-\$). did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/09/22 15:05

S89	5	(volume adj resistivity) and ((US-6603238-\$ or US-6413876-\$ or US-6392240-\$ or US-5886863-\$ or US-6384383-\$ or US-5665260-\$ or US-6242719-\$ or US-6538872-\$ or US-6535371-\$ or US-6490146-\$ or US-6462928-\$ or US-6410172-\$ or US-6310755-\$ or US-6294771-\$ or US-6037572-\$ or US-6094334-\$ or US-6479410-\$ or US-6391437-\$ or US-6120130-\$ or US-6120661-\$ or US-6140624-\$ or US-5663865-\$ or US-5748436-\$ or US-5566043-\$ or US-5606484-\$ or US-5495550-\$). did. or (US-5822675-\$ or US-6678143-\$).did. or (US-20040036408-\$).did. or (JP-2001015251-\$ or JP-09040481-\$ or JP-2000012192-\$ or JP-2002033375-\$ or JP-08264550-\$ or JP-10080168-\$). did. or (JP-08227933-\$ or JP-08264550-\$ or JP-07010665-\$ or US-6423615-\$ or DE-3626420-\$). did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 15:07
S96	730	electrostatic adj adsorption	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 15:36
S97	7	S96 and heating adj apparatus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 15:34
S98	104	S96 and resistivity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 15:40
S99	8	"6294771"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 16:42
S10 0	1855	219/543	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 16:42
S10 1	0	219/542,544	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 16:43
S10 2	1454	219/542	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 16:43

S10 3	2494	219/544	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 16:43
S10 4	1047	361/234	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 16:44
S10 5	752	361/233	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 16:44
S10 6	16	(S100 or S102 or S103 or S104 or S105) and ((volume adj resistivity) same insulation)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 16:46
S10 7	68	(S100 or S102 or S103 or S104 or S105) and (resistivity same insulation)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 08:37